Cardamage charge matrix April 2025



CONTENTS

| Body panels | 3 |
|------------------------|----|
| Bumpers (front & rear) | 4 |
| Mirror covers | 4 |
| Glass | 5 |
| Wheels | 6 |
| Tyres | 7 |
| Keys | 8 |
| Servicing | 8 |
| Interior trim | 9 |
| Exterior trim | 10 |
| In-car entertainment | 11 |
| Removable items | 11 |

This document outlines what is considered acceptable and unacceptable damage to cars upon return to us.

When vehicles are returned at the end of their contract, they should be in 'good' condition. All electronic safety features and devices must be in working order and there should be no rust or corrosion. The vehicle must be roadworthy with a valid MOT, and no warning lights should be illuminated. The vehicle must have been serviced according to the manufacturer's servicing or maintenance schedule (detailed in the handbook). Tyres should not have any damage to sidewalls or tread.

We use industry standard guidelines provided by the British Vehicle Rental and Leasing Association (BVRLA) to check your vehicle at the end of the contract so we can be fair and consistent to all customers.

Read the BVRLA Fair Wear and Tear Guides in full

These guides, reproduced with the permission of the BVRLA, detail the common standards for the contract hire and leasing industry.

All quoted costs are correct as of April 2025 and may be subject to change - please ask your Account Manager for the current costs. Charges are not subject to VAT, with the exception of removing logos (see page 3). The VAT may be recoverable, depending on your company's VAT status.

Missing items will be recharged separately to any damage and outside of any damage tolerances set.

GLOSSARY

Definitions for some of the terms referenced on the following pages:

Report only - Damage within BVRLA standards, which is reported for information only.

Paintless dent removal (PDR) - Dents repaired without repainting (not near door edges).

Refinish - Scratches or chips needing respraying outside acceptable BVRLA standards, with no other repairs.

Repair & refinish (RDR) - Dents outside acceptable BVRLA standards requiring filling before repainting.

Replace - Items missing or damaged beyond repair (e.g. keys, SD cards, charging cables). Costs are based on the average price across the vehicle model range, the removal of the part and any connecting parts, repaint (where required) and refitting.

OEM - An Original Equipment Manufacturer (OEM) part is a part that was either made by a vehicle manufacturer, or a subcontractor approved to produce the part on the manufacturer's behalf. **Excessive damage** - Damage beyond the point of repair (where more than a third of a panel is damaged). This is charged using OEM parts and labour times.

Poor previous repair - Where work has been done to a poor standard, and needs to be professionally repaired by us. A substandard repair to panels, glass or trim that is obvious from a distance of 2 metres.

Specialist repair - Localised repair that is more cost effective than replacement or full repair. This would normally need to be completed by a specialist (e.g. alloy wheel smart repair, glass repair, trim repair).

Gouge - A deep scratch that will require filling to the base material, before refinishing.

Swage line - A narrow profiled line on the outer body pane of a vehicle. Damage on swage lines is more difficult to repair, so the BVRLA advises that it is always chargeable.

Body panels

| Component | Fault | Tolerance based on BVRLA standard | | Repair Method | Unit of Measure | Cost to Custome |
|---|-------------------------|--|--|-------------------------|-----------------|--------------------|
| | Chipped | Chips of 3mm or less in diameter are a | cceptable providing they are not rusted | Report only | Per panel | £ |
| | Chipped | Excessive chipping more than 4 on an forward-facing panel are not acceptal | | Refinish | Per panel | £15 |
| | Dents | Less than 15mm in diameter are accep per panel and the paint surface is not | table providing there are no more than two proken or on the roof/swage line | Report only | Per panel | £ |
| Panels | Dents | More than 15mm in diameter and less not to roof/swage line | than 100mm with no paint damage and | PDR (Cold Metal Repair) | Per panel | £6 |
| (Doors, sills, wings, bootlid, bonnet, roof) | Dents | More than 15mm in diameter with pair | nt damage or on roof/swage line | Repair & refinsh | Per panel | £20 |
| , , , | Scratched | Where no primer or bare metal is show | ving/any surface scratches | Report only | Per panel | £ |
| | Scratched | Where the primer or bare metal is sho | wing | Refinish | Per panel | £15 |
| | Damage | Excessive damage (see glossary page) | | Replace | Per panel | Based on OEM* pric |
| | Decal/Logo/ Stickers | Should be removed without damage t and charge the costs to you | o paintwork. If left on we will remove these | Remove & repaired | Size of decal | See table below |
| | | | 1 SQM 2 S | QM 3 SQM 4 SI | QM 5 SQM 6 SQI | M 7 SQM 8 SQN |

Hyundai Contract Hire charges for logo removal

Full wraps are charged based on process and hourly rate.



Small areas of chipping, including door edge chipping, are acceptable.



Excluding VAT

Including VAT

Dents (up to 15mm in diameter) are acceptable provided there are no more than two per panel and the paint surface is not broken.



£60

£73

£81

£97

£100

£120

£40

£48

£20

£24

Dents over 15mm in diameter, or any dents to the roof or swage line on any panels, are not acceptable.



£140

£168

£160

£192

£120

£144

Any scratch where the primer or base metal is shown will also be charged.

Black and white striped boards (zebra boards) are often reflected in the body panel. The stripes distort when there is a dent on the panel making it easier to see in a photograph.

Bumpers (front and rear)

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|-----------|-----------|---|-------------------|-----------------|--------------------|
| | Chipped | Chips of 3mm or less in diameter are acceptable providing they are not rusted | Report only | Per panel | £0 |
| | Chipped | Excessive chipping more than 4 on any panel, 6 per door edge and 8 on any forward-facing panel are not acceptable | Refinish | Per panel | £129 |
| | Dents | Less than 15mm in diameter are acceptable providing there are no more than two per panel and the paint surface is not broken or on a swage line | Report only | Per panel | £0 |
| Bumper | Dents | More than 15mm or where the paint surface is broken or on a swage line is not acceptable | Repair & refinish | Per panel | £202 |
| | Scratched | Where no primer or bare metal is showing/any surface scratches | Report only | Per panel | £0 |
| | Scratched | Where the primer or bare metal is showing | Refinish | Per panel | £92 |
| | Damage | Excessive damage | Replace | Per panel | Based on OEM price |

Mirror covers



| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|---------------|-----------|--|---------------|-----------------|--------------------|
| Mirror cover/ | Missing | Missing, cracked or damaged door mirrors are not acceptable | Replace | Per cover | Based on OEM price |
| glass | Scratched | Scratched | Refinish | Per cover | £57 |


Glass

| Component | Fault | Tolerence based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|------------------|--------------|---|---------------|-----------------|--------------------|
| Front screen | Chips/cracks | Where chips/cracks and holes up to 10mm have been repaired to a professional standard in the Driver's Line of Vision | Report only | Per screen | £0 |
| Front screen | Chips/cracks | Where chips/cracks and holes up to 40mm have been repaired to a professional standard outside the Driver's Line of Vision | Report only | Per screen | £0 |
| Front screen | Chips/cracks | Unrepaired chips, cracks or holes are not acceptable | Replace | Per screen | Based on OEM price |
| Rear screen | Chips/cracks | Repaired chips are acceptable provided they are done to a professional standard | Report only | Per screen | £0 |
| Rear screen | Chips/cracks | Unrepaired chips, cracks or holes up to 10mm are not acceptable | Glass repair | Per screen | £47 |
| Rear screen | Chips/cracks | Unrepaired chips, cracks or holes more than 10mm are not acceptable | Replace | Per screen | Based on OEM price |
| Door glass | Damage | Shattered | Replace | Per glass | Based on OEM price |
| Lamps and lenses | Damage | Tolerance based on BVRLA standard - Holes or cracks in the glass or plastic covers of lamp units are not acceptable | Replace | Per item | Based on OEM price |



The following are NOT acceptable:

- Chips, cracks and holes that are larger than 10mm and in the driver's line of vision (a vertical strip 290mm wide, that's centred on the steering wheel - shown in the picture on the right)
- Chips, cracks and holes that are larger than 40mm elsewhere (in the area swept by the vehicle's wiper blades)




Wheels

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|------------------------|----------------|--|-------------------|-----------------|--------------------|
| Alloy wheel/wheel trim | Scuffs/gouged | Less than 50mm on the total wheel circumference and where no damage is on the wheel spokes | Report only | Per wheel | £0 |
| Alloy wheel/wheel trim | Scuffs/gouged | More than 50mm on the total wheel circumference or where there is any damage to the wheel spokes | Specialist repair | Per wheel | £57 |
| Steel wheel | Damage | Dents and holes on wheel rims are not acceptable | Replace | Per wheel | Based on OEM price |
| Wheel trim | Missing | Missing wheel trims are not acceptable | Replace | Per wheel trim | Based on OEM price |
| Alloy wheels | Rust/corrosion | There should be no rust or corrosion on the alloy wheels. | Replace | Per wheel | Based on OEM price |



Scuffs to wheels totalling up to 50mm on the total circumference of the wheel trim, and on alloy wheels, are acceptable.



Scuffs over 50mm on the total circumference of the wheel are not acceptable. Any damage to the wheel spokes, the hub of the alloy wheel or the tyre sidewall is not acceptable.



Tyres



Tyre sidewall damage is not acceptable.

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|---------------------------|----------------------------------|---|---------------|-----------------|--------------------|
| Tyre | Worn | All tyres, including any spare, must meet minimum UK legal requirements | Replace | Per tyre | £115 |
| Tyre | Damage | There must be no damage to sidewall or tread | Replace | Per tyre | £115 |
| Туге | Incorrect size/ specification | All tyres, including any spare, must comply with the vehicle manufacturer recommendation of tyre type, size and speed rating | Replace | Per tyre | £115 |
| Spare tyre | Missing | The spare wheel (including spacesaver), jack and other tools must be intact, stowed properly and in good working order | Replace | Per tyre | £115 |
| Tyre repair compressor | Missing | The emergency tyre inflation kit, if supplied when new, should be in full working order, serviceable and ready for use | Replace | Per item | Based on OEM price |

If tyres are included in your contract, please arrange for tyres to be replaced before your vehicle is collected. Otherwise you will be charged.



Keys

| Component | | Tolerance based on BVRLA standard | | Unit of Measure | Cost to Customer |
|--------------------------------|---------|---|---------|-----------------|-------------------------------|
| Keys – including spares | Missing | A full set of keys, including the remote ignition key, should be returned in working order if originally supplied | Replace | Per key | *Based on Thatcham part price |
| Locking alloy wheel nut key | Missing | Locking wheel nut keys, should be returned if originally supplied | Replace | Per key | £62 |

Servicing

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|------------------------------|------------------------|--|---------------|-----------------|------------------|
| Service book/ information | Missing/ incomplete | Must be serviced according to the manufacturer's servicing/maintenance schedule. Where supplied, the service book must be present and date-stamped by an authorised service agent. If the service book is electronic, ensure it's updated according to the manufacturer servicing/maintenance schedule. | Replace | Per vehicle | £115 |

Interior trim

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|-----------------|--------------------|--|---------------|-----------------|--------------------|
| | Excessively soiled | Interior must be returned clean and odourless with no burns, scratches, tears, dents or staining | Clean | Per vehicle | £41 |
| Interior trim | Missing | All interior fittings must be present | Replace | Per vehicle | Based on OEM price |
| | Torn/cut/burn | Interior fittings less than 10mm are not acceptable | Trim repair | Per item | £67 |
| dashboards etc) | Torn/cut/burn | Interior fittings more than 10mm are not acceptable | Replace | Per item | Based on OEM price |
| | Broken | All interior fittings must not be damaged/broken | Replace | Per item | Based on OEM price |



Scratches that reflect normal use are acceptable.



Holes to the interior upholstery and trim and not acceptable.



The interior of the vehicle must be clean and odourless with no burns, scratches, tears, dents or staining.

Exterior trim

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|---|-----------------------------|--|-------------------|-----------------|--------------------|
| Exterior Trim (Mouldings etc) | Scuffs/gouged/ scratched | Scuffs, gouges and scratches less than 25mm are acceptable providing the moulding or trim is not broken, cracked or deformed | Report only | Per vehicle | £0 |
| | Scuffs/gouged/ scratched | Scuffs, gouges and scratches more than 25mm are not acceptable | Specialist repair | Per item | £36 |
| | Missing | All mouldings must be present | Replace | Per item | Based on OEM price |
| | Damage | Moulding, trim should not be broken, cracked or deformed | Replace | Per item | Based on OEM price |





Scratches that reflect normal use are acceptable.



In-car multimedia

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|-------------------|----------------|--|---------------|-----------------|--------------------|
| In-car multimedia | Missing/broken | All original equipment, accessories and controls must be present and operate correctly | Replace | Peritem | Based on OEM price |

Removable items

| Component | Fault | Tolerance based on BVRLA standard | Repair Method | Unit of Measure | Cost to Customer |
|---|---------|--|---------------|-----------------|--------------------|
| Removable items (load covers, headrests, sat nav cards, SD cards, spare wheels, and any other loose items etc.) | Missing | All original equipment, accessories and controls must be present and operate correctly | Replace | Per item | Based on OEM price |
| Charging cables | Missing | All original equipment, accessories and controls must be present and operate correctly | Replace | Per item | Based on OEM price |



Arval UK Limited trading as Hyundai Contract Hire (Whitehill House, Windmill Hill, Swindon, SN5 6PE. Registration number 1073098. VAT Registration GB 202 1441 76) is authorised and regulated by the Financial Conduct Authority under registration number 312798, for regulated consumer hire agreements. Email: customer@contracthire.hyundai.co.uk | Telephone: 0345 266 5102

